

AXIS Body Worn Live

Right there with you

AXIS Body Worn Live streams live video, audio and metadata from Axis body worn cameras. Let Axis host it for you or host it yourself if cloud-based hosting isn't an option for your organization. It is secure and reliable, it supports informed decision making by operators and provides an added sense of safety for the camera wearers. AXIS Body Worn Live has several layers of security, and the transmission is protected by full end-to-end encryption, ensuring that the customer owns their encryption keys. Being a web-based application it's compatible with PCs, tablets and Android mobile devices and with the self-hosted option it is integrated directly in your preferred VMS.

- > **Hosted by Axis or hosted by you**
- > **Video, audio, and metadata in real-time**
- > **Data retention for instant playback**
- > **End-to-end encryption**
- > **Independent of VMS or EMS**

AXIS Body Worn Live

General

Variants

Axis-hosted
Self-hosted

Supported devices

Axis-hosted:
AXIS W100 Body Worn Camera, AXIS W101 Body Worn Camera, AXIS W102 Body Worn Camera, AXIS W110 Body Worn Camera, AXIS W120 Body Worn Camera
Self-hosted:
AXIS W102 Body Worn Camera, AXIS W110 Body Worn Camera, AXIS W120 Body Worn Camera

Required products

Self-hosted:
AXIS Body Worn Live Self-hosted Server app installed on either AXIS W401 Body Worn Activation Kit or AXIS D3110 Mk II Connectivity Hub

Configuration

Web browser

Storage

Axis-hosted:
24-hour retention time
Metadata storage location: Global
Evidence data storage locations: Australia, Canada, EU, France, Germany, India, Japan, Switzerland, United Kingdom, United States (East, West)

Compliance

Axis-hosted:
CJIS-compliant data transfer
CJIS-compliant storage
Data servers supporting regional regulatory requirements for personal integrity
Self-hosted:
CJIS-compliant data transfer

Administration

Axis-hosted:
Centralized user and access management
Multifactor authentication through My Axis
Self-hosted:
Centralized user and access management

Data streaming

Video, audio, location

Languages

Axis-hosted:
English, German, French, Spanish, Italian, Russian, Simplified Chinese, Japanese, Korean, Portuguese, Polish, Traditional Chinese, Dutch, Czech, Swedish, Finnish, Turkish, Thai, Vietnamese, Romanian, Arabic, Farsi, Hebrew
Self-hosted:
English

Cybersecurity

Security

Axis-hosted:
End-to-end encryption: XChaCha20-Poly1305, X25519 and XSalsa20
Encryption at rest: AES-256 bit
Encryption in transit: TLSv1.2 or later with 256 bit ciphers
Self-hosted:
Encryption in transit: TLSv1.2 or later, dTLS 1.0 or later, SRTP

Video

Video compression

H.264 (MPEG-4 Part 10/AVC) Baseline, Main and High Profiles
640x360 @ 25/30 fps
Bandwidth requirements: up to 8 Mbit/s

Resolution

1280x720 to 640x360

Frame rate

25/30 fps with power line frequency 50/60 Hz

Audio

Encoding

Axis-hosted:
AAC
Self-hosted:
AAC, Opus

Capabilities

Functionality

Axis-hosted:

Live stream triggers: Camera button
Stream gap retrieval
Priority upload of latest data
Pre-buffer
Multiple clients can view the same stream
Acknowledge stream

Self-hosted:

Depends on VMS integration

Recording playback

Axis-hosted:

Access to recent streams for 24 hours
Multiple simultaneous streams
Time line scrubbing in live stream
Go to live
Audio mute

Self-hosted:

Depends on VMS integration

Positioning system

Axis-hosted:

Location data through GNSS