

Installation switches

AXIS Camera Station executable

October 2023

1. Introduction

A silent installation switch is a command-line parameter used with executable (EXE) installer files on Windows operating systems. Its primary purpose is to automate and streamline the installation process of software without requiring user intervention. Silent installation is particularly useful for system administrators, developers, and IT professionals who need to install software on multiple machines, as it allows for the efficient deployment of applications with consistent configurations across various systems.

When an executable installer is launched with a silent installation switch, it runs in the background, bypassing the typical graphical user interface (GUI) prompts and dialog boxes that users would normally interact with during a manual installation. Instead, the installer uses predefined settings, often specified in a configuration file or through additional command-line parameters, to carry out the installation process.

In the following example, the AXIS Camera Station Client is set to install silently using the switches listed in the table below. The silent installation process will occur in the background, automatically closing any applications that are utilizing files slated for updates during the installation. Additionally, this process will suppress any message boxes that would typically appear, ensuring a seamless installation experience. The AXIS Camera Station Client will be installed with English as the selected language.

```
AXISCameraStationSetup.exe /SP- /VERYSILENT /LOG=c:\acsinstall.log  
/CLOSEAPPLICATIONS /SUPPRESSMSGBOXES /TYPE=client  
/LANG=en
```

/SP-	This suppresses the "This will install..." windows normally seen during install process. The SP- switch only works if UAC is turned off.
/SILENT, /VERYSILENT	<p>When Setup is set to silent the wizard and the background window are not shown but the installation progress window is. When a setup is set to very silent the installation progress window will not be displayed. Everything else is as expected and example error messages during installation are displayed and the startup prompt is. Startup prompt can be disabled by using Disable.</p> <p>Startup Prompt or the '/SP-' If a restart is necessary and the '/NORESTART' command is not used and Setup is silent, it will display a "Reboot now?" window. If it's very silent it will reboot without asking.</p>
/LOG=c:\acsinstall.log	This will create a log file on C:\ called acsinstall.log
/CLOSEAPPLICATIONS	Closes applications that are using files which need to be updated during the install.
/SUPPRESSMSGBOXES	Instructs Setup to suppress message boxes. Only works when combined with the '/SILENT' or '/VERYSILENT' switches.
/TYPE=client	Adding this switch will cause the installer to only install the client software. If it is not present, it will install the both the client and the server components.
/TASKS="list", /MERGETASKS="list"	<p>/TASKS= command will set which tasks are set when doing the install</p> <p>/MERGETASKS= command will add the additional tasks in the list on top of the default tasks</p> <p>These are added as comma separate list in quotes.Ex:</p> <p>/TASKS="desktopicon,configurefirewall" /MERGETASKS="desktopicon"</p> <p>Available Tasks:</p> <p>"desktopicon" Create an AXIS Camera station Client desktop icon</p>

	<p>"telemetry" Share Anonymous usage data with AXIS Communications to help us improve the application and user experience.</p> <p>"configurefirewall" Adds exceptions Axis Camera station to the Windows Firewall</p>																																										
/LANG=language	<p>Specifies the language to use to override the default.</p> <p>Available language switches</p> <table> <tr><td>en</td><td>English</td></tr> <tr><td>fr</td><td>French</td></tr> <tr><td>de</td><td>German</td></tr> <tr><td>ar</td><td>Arabic</td></tr> <tr><td>zh_Hans</td><td>Chinese (Simplified)</td></tr> <tr><td>it</td><td>Italian</td></tr> <tr><td>ru</td><td>Russian</td></tr> <tr><td>tr</td><td>Turkish</td></tr> <tr><td>ko</td><td>Korean</td></tr> <tr><td>zh_Hant</td><td>Chinese (Traditional)</td></tr> <tr><td>ja</td><td>Japanese</td></tr> <tr><td>es</td><td>Spanish</td></tr> <tr><td>pl</td><td>Polish</td></tr> <tr><td>sv</td><td>Swedish</td></tr> <tr><td>fa</td><td>Persian</td></tr> <tr><td>fi</td><td>Finnish</td></tr> <tr><td>nl</td><td>Dutch</td></tr> <tr><td>pt_BR</td><td>Portuguese (Brazil)</td></tr> <tr><td>vi</td><td>Vietnamese</td></tr> <tr><td>cs</td><td>Czech</td></tr> <tr><td>th</td><td>Thai</td></tr> </table>	en	English	fr	French	de	German	ar	Arabic	zh_Hans	Chinese (Simplified)	it	Italian	ru	Russian	tr	Turkish	ko	Korean	zh_Hant	Chinese (Traditional)	ja	Japanese	es	Spanish	pl	Polish	sv	Swedish	fa	Persian	fi	Finnish	nl	Dutch	pt_BR	Portuguese (Brazil)	vi	Vietnamese	cs	Czech	th	Thai
en	English																																										
fr	French																																										
de	German																																										
ar	Arabic																																										
zh_Hans	Chinese (Simplified)																																										
it	Italian																																										
ru	Russian																																										
tr	Turkish																																										
ko	Korean																																										
zh_Hant	Chinese (Traditional)																																										
ja	Japanese																																										
es	Spanish																																										
pl	Polish																																										
sv	Swedish																																										
fa	Persian																																										
fi	Finnish																																										
nl	Dutch																																										
pt_BR	Portuguese (Brazil)																																										
vi	Vietnamese																																										
cs	Czech																																										
th	Thai																																										

2. Considerations and limitations

The switches shown are from the 5.55 version of AXIS Camera Station and are likely to extend to other versions as well.

Not all switches will work depending on the user that is running the command. Ex: running as the system user can prevent the desktop icon from being generated.

If AXIS Camera Station is already installed, this will update the current installation with the same components and installation type that it was already installed with.