



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX EXV 20.0017X** Page 1 of 5 [Certificate history:](#)
Issue 0 (2021-07-23)

Status: **Current** Issue No: 1

Date of Issue: 2022-02-08

Applicant: **Axis Ex AB**
Gränden 1
Lund 223 69
Sweden

Equipment: **Fixed Types F31, F33, PTZ Types P21, P23**

Optional accessory:

Type of Protection: **Flameproof 'db' Enclosure 'tb'**

Marking: Ex db I Mb
Ex db IIC T6 - T4 Gb
Ex tb IIIC T85°C -T135°C Db

Tamb -60°C to +60°C

Approved for issue on behalf of the IECEx
Certification Body:

Sean Clarke CEng MSc FIET

Position:

Certification Manager

Signature:
(for printed version)

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

ExVeritas Limited
Units 16-18 Abenbury Way
Wrexham Ind. Est.
Wrexham LL 139UZ
United Kingdom





IECEX Certificate of Conformity

Certificate No.: **IECEX EXV 20.0017X**

Page 2 of 5

Date of issue: 2022-02-08

Issue No: 1

Manufacturer: **Axis Ex AB**
Gränden 1
Lund 223 69
Sweden

Additional manufacturing locations: **Axis Ex AB**
Maskinvägen 1
Lund 227 30
Sweden

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

[IEC 60079-0:2017](#) Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

[IEC 60079-1:2014-06](#) Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
Edition:7.0

[IEC 60079-31:2013](#) Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"
Edition:2

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

[GB/EXV/ExTR20.0036/00](#)

[GB/EXV/ExTR22.0010/00](#)

Quality Assessment Report:

[GB/EXV/QAR21.0005/00](#)



IECEX Certificate of Conformity

Certificate No.: **IECEX EXV 20.0017X**

Page 3 of 5

Date of issue: 2022-02-08

Issue No: 1

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Axis Ex Series Fixed Types F31, F33, PTZ Types P21, P23 Camera Station systems comprise fixed (static) camera stations and motorised pan-tilt-zoom (PTZ) camera stations allowing up to 360° viewing depending on mounting arrangement and location.

The camera stations are designed to allow either high definition colour image generation or the use of infrared commonly used in night vision or thermal measurement applications. Image transmission from the camera stations is achieved via various media including ethernet, coaxial or fibre optics which is also the media that contains operator input to camera functionality, for example positioning or zoom functions.

Each camera station is designed specifically for use in harsh and hazardous environments and uses 316L stainless steel and toughened glass as core materials. The IR variants utilise Germanium with a guard for impact protection.

The static camera variants consist of one flame-proof enclosure whilst the PTZ versions consist of three interlinking flame-proof enclosures allowing full positioning mobility.

IP rated for levels of protection IP66/IP67/IP68

SPECIFIC CONDITIONS OF USE: YES as shown below:

Special Conditions for Safe Use

- Flameproof joints are not to be modified
- Cable temperature can exceed 60°C – select suitable cable for the end application
- Yield Strength of the end cap fasteners is A4-80
- Equipment must be placed in an area where there is low risk of mechanical damage

Conditions for Use (Manufacturers responsibility)

Routine Test

- The enclosures must be subjected to a routine overpressure test in accordance with clause 16.1 IEC60079-1 at 23.67 Bar min for a period of at least 10s



IECEX Certificate of Conformity

Certificate No.: **IECEX EXV 20.0017X**

Page 4 of 5

Date of issue: 2022-02-08

Issue No: 1

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

- Add ratings for Group I, mining applications
- Add electromagnetic interference filter



IECEX Certificate of Conformity

Certificate No.: **IECEX EXV 20.0017X**

Page 5 of 5

Date of issue: 2022-02-08

Issue No: 1

**Additional information:
Technical Documents:**

Title:	Drawing No.:	Sheets:	Rev. Level:	Date:
Certification Drawing	EX-001	1 to 5	005	25/09/2020
*General Label	DOCID-462687516-69	2	4.0	20/01/2022
*Installation Manual IM001	2391581	6, 14, 15	2.0	10/01/2022

*Note: An * is included before the title of documents that are new or revised*