

AXIS TQ3601-E Conduit Back Box

IP66/67 rated back box with conduit entrance

Compatible with a wide range of Axis network cameras and especially made for cameras with larger diameters between 184–198 mm (7.2–7.8 in). Available in white, for both outdoor and indoor use this IP66/67 rated back box will withstand challenging outdoor conditions. The back box offers a sealed compartment for secure storage of connectivity devices. 3/4" / M25 conduit interface from both side and back, impact resistant (IK10) and both network cable and extra gaskets are included.

- > Storage space for cable slack or various system devices
- > Impact resistant (IK10) against vandalism attempts
- > IP66/67 rated
- > Easy installation
- > 3/4" / M25 conduit interface from both side and back



AXIS TQ3601-E Conduit Back Box

General	
Supported products	AXIS Q35 Network Camera Series AXIS Q36 Network Camera Series AXIS Q38 Network Camera Series AXIS P38 Network Camera Series
Environment	Indoor/outdoor
Mounting	Double Gang Box, Single Gang Box, 4" Octagon Junction Box, 4" Square Junction Box
Casing	Material: powder-coated aluminum casing, stainless steel screws (TX20) Color: white NCS S 1002-B
Cable routing	Back: 3 cable holes Sides: 3/4" conduit entrances Underside: 4x gaskets C M20 5–9.5 mm Top cover: 3x gaskets C M20 5–9.5 mm
Maximum load	5 kg (11 lb)
Dimensions	Height: 58.5 mm (2.30 in) ø 197 mm (7.76 in)

Weight	1.3 kg (2.87 lb)
Sustainability	PVC free
Approvals	Environment IEC 60068-2-6, IEC 60068-2-27, IEC/EN 60529 IP66/IP67, NEMA 250 Type 4X Impact IEC/EN 62262 IK10
Included accessories	Installation Guide 3x Gasket Tool mounting RJ45 C M20 Cable 3–5 mm 4x Stainless steel screws (TX20) and washers
Optional accessories	AXIS T91B47 Pole Mount, AXIS T94R01B Corner Bracket, AXIS ACI Conduit Adapter 3/4" U-Shape 30 mm, AXIS ACI Conduit Adapter 3/4" NPS, Network cable coupler indoor, Network cable coupler indoor slim, AXIS T6101 Mk II Audio and I/O Interface, AXIS T8645 PoE+ over Coax Compact Kit
Warranty	3-year warranty, see axis.com/warranty

www.cxis.com T10196213/EN/M2.3/2310



