

AXIS TP3908-E

AXIS TP3908-E 15 cm

AXIS TP3908-E 30 cm

AXIS TP3908-E 100 cm



Installation guide

Guide d'installation

Installationsanleitung

Guida all'installazione

Guía de instalación

インストールガイド


Guia de instalação

Руководство по установке

설치가이드


安裝指南

Panduan instalasi




1x

i





kg (lb)
 $\leq 10 \text{ kg (22 lb)}$

A black weight icon with a circular loop at the top. Below it, the text 'kg (lb)' is centered. To the right, the weight limit is given as ' $\leq 10 \text{ kg (22 lb)}$ '.






kg (lb)
 $\leq 6 \text{ kg (13.2 lb)}$


A black weight icon with a circular loop at the top. Below it, the text 'kg (lb)' is centered. To the right, the weight limit is given as ' $\leq 6 \text{ kg (13.2 lb)}$ '.





kg (lb)
 $\leq 3 \text{ kg (6.6 lb)}$

A black weight icon with a circular loop at the top. Below it, the text 'kg (lb)' is centered. To the right, the weight limit is given as ' $\leq 3 \text{ kg (6.6 lb)}$ '.







1.1




1.2




2.1




2.2




2.3




3.1




3.2




3.3




3.4







3.5



4.1



4.2





3226295

2025-05 (M1.6)

© 2025 Axis Communications AB