

# AXIS – Export Fact Sheet – EU

**Products: Thermal Network Cameras 8.3 fps – Exporting/Shipping from Sweden:**

Series	AXIS Q29 Series		XF40-Q2901	XF60-Q2901
<b>Jurisdiction</b>	European Commission and US Department of Commerce			
<b>Regulatory Website</b>	<a href="http://www.isp.se">www.isp.se</a> <a href="http://www.bis.doc.gov">www.bis.doc.gov</a> <a href="http://ec.europa.eu">ec.europa.eu</a>			
<b>8.3 FPS - ECCN as per US CCL</b>	6A993	6A993	6A993	6A993
<b>USML Category</b>	N/A	N/A	N/A	N/A
<b>License Requirements</b>	You should always comply at all times with all applicable national and international (re-) export control regulations.			

## Classification Information:

Thermal Cameras operating at a frame rate  $\leq 9$ fps are not controlled for export under European Commission Customs legislations unless exported to Embargoed and Sanctioned Countries.

These products contain U.S.-origin controlled technology/components. The US Department of Commerce (DoC), Export Administration Regulations (EAR) are always applicable to these products. You should comply at all times with all applicable national and international (re-) export control regulations.

## Permanent / Temporary Exports:

These products are controlled for export under US Department of Commerce (DOC), EAR Export Control Classification Number (ECCN) 6A993. These products may require a license or other authorization from the U.S. Department of Commerce's Bureau of Industry and Security (BIS) to reexport or transfer (in-country).

These products shall not be exported to Embargoed and Sanctioned Countries. Additionally, they may not be used in the design, development, production, or use of nuclear, chemical or biological weapons or missiles.

## Statement:

“These products are controlled for export under US Department of Commerce (DOC), EAR Export Control Classification Number (ECCN) 6A993. These products may require a license or other authorization from the U.S. Department of Commerce's Bureau of Industry and Security (BIS) to reexport or transfer (in-country). You should comply at all times with all applicable national and international (re-) export control regulations.”

**For further information regarding the applicable laws, regulations, and policies please contact your National Export Control Authority and the US Authorities:**

US Department of Commerce, Bureau of Industry and Security (BIS) Website: <a href="http://www.bis.doc.gov/">http://www.bis.doc.gov/</a>	US Department of State, Bureau of Political-Military Affairs, Directorate of Defense Trade Control (DDTC) Website: <a href="http://www.pmdtcc.state.gov/">http://www.pmdtcc.state.gov/</a>
--	---

**IMPORTANT:** Do not make any purchase or shipping decision relating to any dual use product based solely on this chart. This chart is provided as a general summary of various different requirements set forth in multiple regulations and statutes. It is not intended to provide any definitive answer as to the exportability of any particular product nor is it intended to be relied upon for any purchase or shipping decision. In addition, it is not intended to be a complete listing of all provisions, regulations or statutes relating to the sale of AXIS dual use products. Axis will make all decisions, including approvals of orders, shipping instructions and license requirements based upon an independent review of the facts and circumstances of each order. Therefore, this chart should not be relied upon in any way other than for the purpose that it is intended which is to provide potential customers with a general overview of the regulatory framework relating to Axis dual use products. You are strongly encouraged to seek your own counsel for advice regarding the export, re-export, re-transfer, and import of any dual use product before making a purchase decision.

**Please note that Axis Communications AB is not liable for re exporting products to end customer. It is the responsibility of the buyer from Axis to ensure proper licensing and authorizations for export or re-export. Axis will not accept any liability on the re-export.**