

Printing to Axis Print Servers from AS/400 using LPR/LPD

Method to be used for OS/400 ver 3.1

TCP/IP Connectivity Utilities is free of charge in OS/400 but is not necessary a part of the standard installation.

If You are using a OS/400 version prior to 3.1. You should use the method described in the next section (Axis AS/400 LPR Monitor).

Before You start the following procedure, You should have configured the Axis print server with an appropriate IP adress. Do not use the default IP adress.

(This could be done by using the Axis DOS/Windows utility AXCFG which could be obtained free of charge from Your local dealer , also other means of doing this is described in detail in the Technical Reference).

- 1. Log in as QSECOFR.
2. At prompt type: 'go cfmtcp', to get to the Configure TCP/IP Menu.
3. Choose menu item 10 , Work with TCP/IP host table entries.
4. Choose menu item 1 (add). Press enter.
5. Type in Internet address and hostname of the print server.
6. At command prompt type: 'crtoutq', and fill in the required information as per the example below.
7. Verify by sending a job to the output queue. (NPSHP4 in the following example).

Hints:

More than one 1 writer could be used to increase throughput. (Typically 1-3).
Large jobs could be spooled and printed at a later time.

Example:

Create Output Queue (CRTOUTQ)

Type choices, press Enter.

Output queue > NPSHP4 Name
Library > QGPL Name, *CURLIB
Maximum spooled file size:
Number of pages *NONE Number, *NONE
Starting time Time
Ending time Time
+ for more values
Order of files on queue *FIFO *FIFO, *JOBNBR
Remote system > nps_1
Remote printer queue pr1
Writers to autostart 1 1-10, *NONE

More...

F3=Exit F4=Prompt F5=Refresh F10=Additional parameters F12=Cancel
F13=How to use this display F24=More keys

Create Output Queue (CRTOUTQ)

Type choices, press Enter.

Queue for writer messages . . .	QSYSOPR	Name
Library	*LIBL	Name, *LIBL, *CURLIB
Connection type	> *IP	*SNA, *IP
Destination type	> *OTHER	*OS400, *OS400V2, *PSF2...
Transform SCS to ASCII	*YES	*YES, *NO
Manufacturer type and model . .	> *HP4	
Destination options	*NONE	

Text 'description' 'HP 4 attached to NPS'

Bottom

F3=Exit F4=Prompt F5=Refresh F10=Additional parameters F12=Cancel
F13=How to use this display F24=More keys

Method to be used with OS/400 2.3 and 3.05

Introduction


Note that for OS/400 2.3 and later TCP/IP Connectivity Utilities must be installed to get LPR. LPR is not included before OS/400 2.3.

The implementation of LPR in OS/400 2.3 is only interactive (manual). Some means of automating the printing process is desired.

AXLPRMON provides the automation of print. It consists of a fairly simple CL program that is started as a batch job. It will check for queued print jobs in on given queue, and sends each print job in turn using LPR. AXLPRMON can be started in many sessions, each one monitoring one queue.

The Red Book AS/400 Printing III lists a similar print monitor. This is in comparison a fairly complex piece of work, and requires a C compiler on the AS/400, which very few have.

This is the basic print job flow, when using AXLPRMON:



Installation

By manually enter or use PC Support, Client Access, FTP, or any other means for file transfer, AXLPRMON and AXLPRSTART should be stored on the AS/400 as members under AXLPRMON/QCLSRC, where QCLSRC should be defined as a file for CL source code.

Compile AXLPRMON using CRTCLPGM. By default it will be placed under the AXLPRMON directory. Note that you should be logged on as QSECOFR and set USRPRF(*OWNER) when compiling AXLPRMON, to give use of it a decent level of security.

Edit AXLPRSTART to your needs. You may copy the sample command several times to start many AXLPRMON sessions, one for each queue created. AXLPRSTART contains a description of each value that needs to be entered by you.

Compile AXLPRSTART.

Start AXLPRSTART using CALL.

More queues, and corresponding entries to AXLPRSTART, can be added later. Remember to re-compile AXLPRSTART after change.

Source code for AXLPRSTART

```
-----
/*****
/*
/* Program      - AXLPRSTART
/*
/* Description  - Sample script for starting one Axis LPR Print Monitor
/*                (AXLPRMON) instance
/*
/* Author       - Mikael Brynolf IBS, Anders Borg Axis Communications AB
/*
/* History      - Nov 17 1994: First version
/*                - Mar  5 1995: Adapted to new AXLPRMON
/*
/*****
PGM

/* The following values must be altered per each instance of AXLPRMON:
/*  queue:      Name of the queue to monitor.
/*  nps_name:   Name of the NPS to receive the output.
/*  nps_port:   Name of the logical printer port of the NPS, pr1 to pr8.
/*                Typically: pr1 for LPT1, pr2 for LPT2, and pr3 for COM1
/*  printer:    Brand and model of printer, as listed in AS/400 TCP/IP Guide
/*                in the LPR chapter.
/*  job_name:   Set this to same value as <queue>.
/*
/* What follows is an example, showing settings of the above values:
/*  SBMJOB      CMD(CALL PGM(AXLPRMON/AXLPRMON) PARM(HP3_IN_HALL +
/*                NPS_IN_HALL PR1 *HPIII)) JOB(HP3_IN_HALL) +
/*                JOBQ(QS36EVOKE)
/*
/*  SBMJOB      CMD(CALL PGM(AXLPRMON/AXLPRMON) PARM(queue +
/*                nps_name nps_port printer)) JOB(job_name) +
/*                JOBQ(QS36EVOKE)

ENDPGM
```

Source code for AXLPRMON

```
-----
/*****
/*
/* Program      - AXLPRMON
/*
/* Description  - LPR Print Monitor for OS/400 2.3
/*
/*****
```

```

/* Compilation - QSECOFR, *OWNER
/*
/* Author      - Mikael Brynolf IBS, Anders Borg Axis Communications AB
/*
/* History     - Nov 18 1994: First version
/*              - Mar  5 1995: Added more comments, etc.
/*
/*****
/*
/* Program parameters:
/*   OUTQ:     The AS/400 output queue name
/*   HOSSY:    The print server name
/*   HOSPR:    The logical printer port name: PR1 to PR8
/*   HOSTP:    The printer type
/*
PGM          PARM(&OUTQ &HOSSY &HOSPR &HOSTP)
/*
/* Declarations
/*
DCL          VAR(&RECORD) TYPE(*CHAR) LEN(128)
DCL          VAR(&LENGTH) TYPE(*DEC)  LEN(5 0)
DCL          VAR(&WAIT)   TYPE(*DEC)  LEN(5 0) VALUE(-1)

DCL          VAR(&TYP01)  TYPE(*CHAR) LEN(10)   /* '*SPOOL'
DCL          VAR(&TYP02)  TYPE(*CHAR) LEN(2)    /* '01'
DCL          VAR(&JOBNM)   TYPE(*CHAR) LEN(10)   /* Job name
DCL          VAR(&JOBUS)   TYPE(*CHAR) LEN(10)   /* Job user
DCL          VAR(&JOBNR)   TYPE(*CHAR) LEN(6)    /* Job number
DCL          VAR(&SPONM)   TYPE(*CHAR) LEN(10)   /* Spool name
DCL          VAR(&SPONR)   TYPE(*DEC)  LEN(5 0)   /* Spool number
DCL          VAR(&OUTQT)   TYPE(*CHAR) LEN(10)   /* Output queue
DCL          VAR(&LIB)     TYPE(*CHAR) LEN(10)   /* Library

DCL          VAR(&OUTQ)    TYPE(*CHAR) LEN(10)   /* Output queue
DCL          VAR(&HOSSY)   TYPE(*CHAR) LEN(10)   /* LPD host
DCL          VAR(&HOSPR)   TYPE(*CHAR) LEN(10)   /* LPD queue
DCL          VAR(&HOSTP)   TYPE(*CHAR) LEN(17)   /* LPD printer

/*
/* Change job
/*
CHGJOB      RUNPTY(40)
/*
/* Create data queue if it doesn't exist
/*
CRTDTAQ     DTAQ(AXLPRMON/&OUTQ) MAXLEN(128) FORCE(*NO)
MONMSG      MSGID(CPF0000)

/*
/* Create the output queue if it doesn't exist
/* Link data queue to output queue
/*
CRTOUTQ     OUTQ(QGPL/&OUTQ) TEXT(AXLPRMON) +
            DTAQ(AXLPRMON/&OUTQ)
MONMSG      MSGID(CPF0000) EXEC(DO)
CHGOUTQ     OUTQ(QGPL/&OUTQ) DTAQ(AXLPRMON/&OUTQ)
MONMSG      MSGID(CPF0000)
ENDDO

/*****
/* Wait for record in data queue
/*****

```

```

LOOP:
    CALL          PGM(QRCVDTAQ) PARM(&OUTQ AXLPRMON &LENGTH +
                                &RECORD &WAIT)

/*
/* Extract value entities from the record
/*
    CHGVAR        VAR(&TYP01) VALUE(%SST(&RECORD 1 10))
    CHGVAR        VAR(&TYP02) VALUE(%SST(&RECORD 11 2))
    CHGVAR        VAR(&JOBNM) VALUE(%SST(&RECORD 13 10))
    CHGVAR        VAR(&JOBUS) VALUE(%SST(&RECORD 23 10))
    CHGVAR        VAR(&JOBNR) VALUE(%SST(&RECORD 33 6))
    CHGVAR        VAR(&SPONM) VALUE(%SST(&RECORD 39 10))
    CHGVAR        VAR(&SPONR) VALUE(%BIN(&RECORD 49 4))
    CHGVAR        VAR(&OUTQT) VALUE(%SST(&RECORD 53 10))
    CHGVAR        VAR(&LIB) VALUE(%SST(&RECORD 63 10))

/*
/* If not correct record type: loop
/*
    IF            (&TYP01 *NE '*SPOOL') THEN(GOTO LOOP)
    IF            (&TYP02 *NE '01') THEN(GOTO LOOP)

/*
/* Send the spooled file using LPR
/* If error occurs: Jump to next item in list
/*
LOOP2:
    SNDTCPSPLF RMTSYS(&HOSSY) PRTQ(&HOSPR) FILE(&SPONM) +
                JOB(&JOBNR/&JOBUS/&JOBNM) SPLNBR(&SPONR) +
                MFRTYPMDL(&HOSTP) DLTSPFL(*YES)
    MONMSG       MSGID(TCP3703) EXEC(GOTO LOOP2)
    MONMSG       MSGID(TCP0000) EXEC(GOTO LOOP)
    MONMSG       MSGID(CPF0000) EXEC(GOTO LOOP)

/*
/* Next record
/*
    GOTO         LOOP

    ENDPGM

```

Jan 18, 1996 hg